

TENSIOMETER

EN

Reliable determination of the operating tension of dryer felts, forming fabrics and press felts



The Tensiometer measures the tension of wires and felts on running and stationary paper machines.

The tester is therefore also particularly suitable for ongoing operational control in order to detect tension changes and differences during the start-up phase after clothing changes.

MEASURING METHODS

Sieve tension in N/cm
(Newton per centimeter)

Sieve tension in PLI
(pounds per linear inch)

TENSIOMETER

EN

MAIN CHARACTERISTICS



TECHNICAL SPECIFICATIONS

PACKING UNIT WITH CASE



Measurements W x D x H: 25 x 16,5 x 21,5 cm



Weight 2,8 kg

SCOPE OF DELIVERY

Tensiometer

Storage case

Operating Manual

TENSIOMETER

EN

ACCESSORIES



Factory calibration
certificate

MADE IN GERMANY SINCE 1954.

Bareiss Prüfgerätebau GmbH

DAkS-Kalibrierlaboratorium

Breiteweg 1

89610 Oberdischingen, Germany

Tel +49 (0) 7305 / 96 42-0

Fax +49 (0) 7305 / 96 42-22

sales@bareiss.de

 bareiss.de

 Facebook

 LinkedIn

 www.bareiss.tv



Deutsche
Akkreditierungsstelle
D-K-15206-01-00

The accreditation is valid for the scope listed in
certificate D-K-15206-01-00 (mechanical measurands
in the range of hardness).